

# **Headline Sponsors:**





# Mr Sam Vollans

Consultant Shoulder & Elbow Surgeon Lead for Virtual Fracture Clinic Lead for NEW Personal Health Record





# **Headline Sponsors:**






# Revolutionising Outpatient Care Through Digital





# Pre-2015 Leeds Fracture Clinic





# **Options**

• Stay as we are

Increase capacity

• Introduce a virtual fracture clinic










# 2015/16 – "The Proof It Works"







Specialist Referral Form to refer from ED


• Email referrals from GP, MIUs, Repatriations

VFC Outcome Form

- The **£** 
  - Specialist Referral Form automation of funding



# 2017/8 - "Pushing the Boundaries"



# Physio-led telephone discharge clinics



# 2019/20 – "From Diagnosis to Discharge"



# THEMATIC ANALYSIS

- 'How long do I need to wear the boot for'?
- 'Should it be swollen and bruised'?
- 'Is ice appropriate'?
- 'Do I use pain relief and if so what'?
- 'When should I be better'?
- 'When can I go back to work'?
- 'When can I drive'?
- 'When can I return to sport'?

# **FEEDBACK**

- Reduced time off work
- Happy that no hospital appointments required and thus no long waits
- No hospital parking fees or issues with attendance on a certain time and date
- Fast, effective and efficient
- Reassured by opt back in opportunity within 6 weeks of phone call.



# VTPs — "A New Standard of Care"












### **The Virtual Treatment Pathways**





# Consultant Advice Introduction from Mr Paul Dearden, Consultant Surgeon Version Version Version Version Version Sweek Sweek Week HOW TO FIT YOUR WALKER BOOT

The walker boot is worn for minimum of 4 weeks.

Fracture Clinic (Adults)

About
The Fracture Clinic
The Virtual Treatment Pathways

Your Injury

Leg

Arm

# ACJ

Consultant Advice

Phase 1: 0 to 2 week

Phase 2: 2 to 6 week

Phase 3: 6 week onward

Phase 4: Discharge
Summary

# Elbow

# Triquetral

Braces & Splints

The Plaster Room
Feedback

Contact us

### **Consultant Advice**

Introduction from Mr Sam Vollans, Consultant Surgeon



HOW TO FIT YOUR SLING

The sling is only worn to help reduce your pain. You can wear it for a maximum of 2 weeks.

Your Recovery

These links will guide you through a number of rehabilitation exercises to help you recover from your injury. You will need to follow them in the correct order.


Please use the links below to access the correct virtual treatment pathway.





Feedback

Fracture Clinic (Adults)



**Phase 4: Discharge Summary** 

CONSULTANT ADVICE



### **Phase 4: Discharge Summary**

Below you will find further information to support your recovery.

The Leeds leaching Hospitals

Contact details:

Phone: **0113 392 6991** 

Email: virtualfractureclinic.lgi@nhs.net

PHASE 1 (0 TO 2 WEEK)

PHASE 2 (2 TO 6 WEEK)


PHASE 3 (6 WEEK ONWARD)

CONSULTANT ADVICE



# The Leeds TH PHR - "The End Game"





# Revolutionising OP Care through Digital

### **Preassessment**

25000 Patients/year Automating information, preconsent, pre-hab

# **Immune Hepatology**

1000 Patients/year PROMs / Ed resources

### **Breast Optimal Pathways**

>11 Pathways including
Diagnostic 2WW, Breast Pain,
nipple d/c, FHx clinic

### **Myeloma Clinic**

MGUS patients, diagnostic bloods and health questionnaires

### **Cardiac Rehab**

3000 Patients/year Automating questionnaires, DM distress, Ed resources

# **Liver Transplant**

1000 Patients
Pre/Post Transplant info
4 regular automated PROMs

### **Clinical Cancer Research**

Managing PROMS remotely with results scored on to EHR directly

## **Elective Orthopaedics**

Pre-consent information and PROMS
Ongoing auto PROMS

### **Gastroenterology - IBD**

6000 Patients/year Medicine monitoring PROMs / Ed resources

# **Liver Transplant**

1000 Patients
Pre/Post Transplant info
4 regular automated PROMs

### **Personalised Stratified FU**

Prostate / Breast / Colorectal Symptom Trackers, Scores, Bloods Timely access and communication





# **Headline Sponsors**:





